PATENT ABSTRACTS OF JAPAN

(11)Publication number:

10-050124

(43) Date of publication of application: 20.02.1998

(51)Int.CI.

F21V 8/00 G02F 1/133 G02F 1/1335 H05B 33/00

(21)Application number : 08-207407

(71)Applicant: SEIKO EPSON CORP

(22) Date of filing:

06.08.1996


(72)Inventor: YOKOYAMA OSAMU


MIYASHITA SATORU FUNAMOTO TATSUAKI

(54) LIGHTING SYSTEM AND LIQUID CRYSTAL DISPLAY

(57) Abstract:

PROBLEM TO BE SOLVED: To thin surface lighting system and to thin a liquid crystal display having it. SOLUTION: An organic electroluminescent(EL) light source 10 is disposed in close proximity to an incoming light end surface of a light conducting plate 15. The organic EL light source 10 comprises a transparent electrode film 12 laminated on a glass board 11 one by one, and an organic EL element 19 composed of an organic luminescent layer 13 and a reflection electrode film 14. The organic EL element 19 having a width we of about 0.1mm and a length nearly equal to a width W of the light conducting plate 15 (e.g. 30mm) is formed in a stripe shape. A width wg of the glass board 11 can be made thinner about 1mm. Therefore, a thickness of the





light conducting plate 15 can be made thinner about 1mm. Light incident on the light conducting plate 15 is uniformly emitted from an outgoing light surface 18 to optimize a structure of the light conducting plate 15 so that an illuminating device can be used for a liquid crystal display element.

LEGAL STATUS

[Date of request for examination]

07.02.2003

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office